

Brooke Paup, *Chairwoman*  
Bobby Janecka, *Commissioner*  
Catarina R. Gonzales, *Commissioner*  
Kelly Keel, *Executive Director*



## TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

*Protecting Texas by Reducing and Preventing Pollution*

January 15, 2025

Mr. Jeremy Allen  
Envirosource Corporation dba Green Analytical Laboratories  
75 Suttle Street  
Durango, CO 81303-7911

Subject: Texas NELAP accreditation renewal

Dear Mr. Allen:

I am pleased to advise you the Texas Commission on Environmental Quality is renewing your laboratory's NELAP accreditation. The accreditation is valid until the expiration date on the certificate and scope, contingent on continued compliance with the standards for accreditation and requirements of the state of Texas.

I am enclosing an accreditation certificate and listing of your laboratory's fields of accreditation. Please review the enclosures for accuracy and completeness.

Please contact me at [frank.jamison@tceq.texas.gov](mailto:frank.jamison@tceq.texas.gov) if I can provide any additional information or assistance.

Sincerely,

A handwritten signature in blue ink, appearing to read "Frank Jamison".

Frank Jamison  
Data and Records Specialist

Enclosures



Texas Commission on  
Environmental Quality

## Certificate of Accreditation



*Accreditation is hereby granted to*

**Envirosource Corp. dba Green Analytical Laboratories**  
75 Suttle Street,  
Durango, CO 81303-7911

State Lab ID: T104704514  
Effective Date: 02/01/2025  
Expiration Date: 01/31/2026  
Certificate ID: TX-C25-00012

### Conditions of Accreditation

This laboratory has been found to conform with TCEQ rules and applicable standards for laboratory accreditation. The scope of accreditation is limited to the Fields of Accreditation (FoA) specifically listed on the subsequent page(s) of this certificate. Accreditation is for all version of a method approved per 40 CFR 136, 40 CFR 141, and/or 40 CFR 143. Continued accreditation requires ongoing compliance with all applicable standards and requirements.

Note: For the attached FoA table, matrices may include DW (drinking water), NPW (non-potable water), S (solid and chemical materials), A (air), and/or BT (biological tissue).

A handwritten signature in black ink that reads "K Keel".

Issued By: Kelly Keel, Executive Director Texas Commission on Environmental Quality  
Date Issued: 02/01/2025

### Laboratory Fields of Accreditation

Matrix	Method	Method Code	Analyte	Analyte Code	AB
DW	EPA 200.8	10014605	Antimony	1005	TX
DW	EPA 200.8	10014605	Arsenic	1010	TX
DW	EPA 200.8	10014605	Barium	1015	TX
DW	EPA 200.8	10014605	Beryllium	1020	TX
DW	EPA 200.8	10014605	Cadmium	1030	TX
DW	EPA 200.8	10014605	Chromium	1040	TX
DW	EPA 200.8	10014605	Copper	1055	TX
DW	EPA 200.8	10014605	Lead	1075	TX
DW	EPA 200.8	10014605	Nickel	1105	TX
DW	EPA 200.8	10014605	Selenium	1140	TX
DW	EPA 200.8	10014605	Thallium	1165	TX
DW	EPA 300.0	10053200	Fluoride	1730	TX
DW	EPA 300.0	10053200	Nitrate as N	1810	TX
DW	EPA 300.0	10053200	Nitrite as N	1840	TX
DW	EPA 335.4	10061402	Cyanide	1635	TX
DW	EPA 353.2	10067604	Nitrate as N	1810	TX
DW	EPA 353.2	10067604	Nitrite as N	1840	TX
DW	SM 4500-F <sup>-</sup> C	20101808	Fluoride	1730	TX
NPW	EPA 150.1	10008409	pH	1900	TX
NPW	EPA 160.1	10009208	Residue-filterable (TDS)	1955	TX
NPW	EPA 200.7	10013806	Aluminum	1000	TX
NPW	EPA 200.7	10013806	Arsenic	1010	TX
NPW	EPA 200.7	10013806	Barium	1015	TX
NPW	EPA 200.7	10013806	Cadmium	1030	TX
NPW	EPA 200.7	10013806	Calcium	1035	TX
NPW	EPA 200.7	10013806	Chromium	1040	TX
NPW	EPA 200.7	10013806	Cobalt	1050	TX
NPW	EPA 200.7	10013806	Copper	1055	TX
NPW	EPA 200.7	10013806	Iron	1070	TX
NPW	EPA 200.7	10013806	Lead	1075	TX
NPW	EPA 200.7	10013806	Magnesium	1085	TX
NPW	EPA 200.7	10013806	Manganese	1090	TX
NPW	EPA 200.7	10013806	Molybdenum	1100	TX
NPW	EPA 200.7	10013806	Nickel	1105	TX
NPW	EPA 200.7	10013806	Potassium	1125	TX
NPW	EPA 200.7	10013806	Selenium	1140	TX
NPW	EPA 200.7	10013806	Silver	1150	TX

TEXAS Accreditation Certificate

Envirosource Corp. dba Green Analytical Laboratories

State Lab ID: T104704514

Certificate ID: TX-C25-00012

Effective Date: 02/01/2025

Expiration Date: 01/31/2026

NPW	EPA 200.7	10013806	Sodium	1155	TX
NPW	EPA 200.7	10013806	Strontium	1160	TX
NPW	EPA 200.7	10013806	Thallium	1165	TX
NPW	EPA 200.7	10013806	Vanadium	1185	TX
NPW	EPA 200.7	10013806	Zinc	1190	TX
NPW	EPA 200.8	10014605	Antimony	1005	TX
NPW	EPA 200.8	10014605	Arsenic	1010	TX
NPW	EPA 200.8	10014605	Barium	1015	TX
NPW	EPA 200.8	10014605	Beryllium	1020	TX
NPW	EPA 200.8	10014605	Cadmium	1030	TX
NPW	EPA 200.8	10014605	Chromium	1040	TX
NPW	EPA 200.8	10014605	Cobalt	1050	TX
NPW	EPA 200.8	10014605	Copper	1055	TX
NPW	EPA 200.8	10014605	Lead	1075	TX
NPW	EPA 200.8	10014605	Manganese	1090	TX
NPW	EPA 200.8	10014605	Molybdenum	1100	TX
NPW	EPA 200.8	10014605	Nickel	1105	TX
NPW	EPA 200.8	10014605	Selenium	1140	TX
NPW	EPA 200.8	10014605	Silver	1150	TX
NPW	EPA 200.8	10014605	Thallium	1165	TX
NPW	EPA 200.8	10014605	Vanadium	1185	TX
NPW	EPA 200.8	10014605	Zinc	1190	TX
NPW	EPA 300.0	10053200	Chloride	1575	TX
NPW	EPA 300.0	10053200	Fluoride	1730	TX
NPW	EPA 300.0	10053200	Nitrate as N	1810	TX
NPW	EPA 300.0	10053200	Nitrate plus Nitrite as N	1820	TX
NPW	EPA 300.0	10053200	Nitrite as N	1840	TX
NPW	EPA 300.0	10053200	Orthophosphate as P	1870	TX
NPW	EPA 300.0	10053200	Sulfate	2000	TX
NPW	EPA 335.4	10061402	Total Cyanide	1645	TX
NPW	EPA 351.2	10065404	Total Kjeldahl Nitrogen - (TKN)	1790	TX
NPW	EPA 353.2	10067400	Nitrate plus Nitrite as N	1820	TX
NPW	EPA 353.2	10067400	Nitrite as N	1840	TX
NPW	SM 2320 B	20045005	Alkalinity as CaCO3	1505	TX
NPW	SM 2510 B	20048004	Conductivity	1610	TX
NPW	SM 2540 D	20004802	Residue-nonfilterable (TSS)	1960	TX
NPW	SM 4500-F <sup>-</sup> C	20101808	Fluoride	1730	TX